

CRM Connector

for **PC**

User Guide



Go Integrator Powered by MondaGo



v4.x+ | UC23Q4

FEATURES BY LICENSE LEVEL

The Go Integrator | CRM Connector v4.x+ (powered by MondaGO) is offered at various license levels. Contact your Service Provider for more information. The following table shows which features are available in each license level and any limitations for feature availability in the Solo, Team, and Unite versions for PC:

Feature	Solo	Team	Unite
Click-to-dial	1	~	1
Presence / BLF	1	~	1
Address book	1	~	1
Call history	1	1	1
Recent calls	1	1	1
Missed calls notification	1	~	1
Call control (will vary by device type)	1	1	1
Preview window	1	1	1
Call Toolbar*	1	1	1
Busylight support*	1	~	1
AppBar*	1	~	1
Call settings*	1	~	~
Softphone*(Citrix and Terminal Services Not supported)	X	X	X
Preferred device (Multi-device support)	1	1	1
Custom events	X	~	1
Client API	X	X	~
Agent Features*	X	×	1
CRM integrations (MS Outlook / Google Contacts only)	1	1	~
CRM integrations (All others)	X	X	~
SmartBusy for Zoom and GoToMeeting*	X	1	~
SmartBusy for Microsoft Teams	x	1	1

Require MS Teams direct routing (or similar)

Calendar based "Out of Office" state is a Microsoft Graph API Beta feature.

Microsoft Teams 867.4	Solo	Team	Unite
Microsoft Teams-Search and Call, Teams Adapter	~	~	1
Microsoft Teams–Show, Add, Pop CRM contact for call ringing / answered using Microsoft Teams#	1	~	~
Microsoft Teams-Select Microsoft Teams as preferred dialing device#	X	1	1
Microsoft Teams-Open Microsoft Teams chat from Cara Presence	X	~	~
Microsoft Teams-Show photo / avatar in Cara Presence	X	~	1
Microsoft Teams-Publishing "In a call" status to Teams	x	1	1
Microsoft Teams-Show peers Microsoft Teams availability## (Beta)	x	1	1
Only available in Go Integrator v4.x+ for Windows client			

Require MS Teams direct routing (or similar)

Calendar based "Out of Office" state is a Microsoft Graph API Beta feature.

INSTALLATION

The Go Integrator | CRM Connector software is supplied as an Internet download. It is a selfcontained installer that contains the files needed to install a copy of Go Integrator | CRM Connector. Before you start, please ensure the following are in place:

- A suitable computer for installation of the client software and viable license for a Go Integrator product. (Please check with the Service Provider to ensure minimum PC requirements and licensing requirements are met)
- A valid new v4x license ordered, the Access Code, and your user login credentials for Go Integrator as supplied by your Service Provider. Contact your Service Provider for assistance.

Access Code

After completing the software installation process, Go Integrator | CRM Connector will present the Access Code input dialog. A valid access code, supplied by your service provider, is required to proceed to user login. The Access Code is only required on first launch of the Go Integrator | CRM Connector v4.x+ client.

Access Code:	A shortcut is also placed in the Windows Start Menu program list to open or return to the Access Code setup step if ncessary.
I don't know my Access Code OX Cancel	Setup Access Code
	Tip: Type Setup Access Code in the start Search bar to locate it.

Mass Deployment

Go Integrator | CRM Connector can be installed to the users' desktops in silent mode by System Administrators using the command format: IntegratorInstaller-4.2.0.2050.exe /quiet

After silent installation, the Setup Access Code shortcut is created but Go Integrator | CRM Connector will not automatically start up or offer the sign in page, however the users can find the app in the Start menu.

Upgrading from v3 Client

If already installed/enabled, Go Integrator | CRM Connector v3 can offer to import the current configuration data from the Go Integrator | CRM Connector v3 client in the **Configuration** > **Versions** view. Data that can be imported from v3 to v4.x includes:

- User's login credentials.
- Presence window Favorites.
- CRM integrations (including 'controlled' integrations but excluding Outlook Contacts).

NOTE: v3 users cannot attempt to upgrade to v4.x prior to new license purchase and receipt of the new Access code from the Service Provider. Attempting to do so prior to completing these prerequisite steps will disable v3.

Refer to the Welcome and Login section for more details and instructions.

WELCOME AND LOGIN

In the User login window:

- 1. Enter a valid username and password, as supplied by your service provider.
- 2. Click the Log In button.
 - Optional: Select Auto login to skip the user login page on subsequent start-up of the Go Integrator | CRM Connector software client.
 - Optional: Select Advanced to review and select from more connection options.

	Log in	Cancel	Advanced	
Access Code:				Reset
Options:	Use proxy			
	Ignore invalid	certificates		
				4.2.0.205

		*****	Password:
		🗹 Auto login	
	Cancel		
	Cancel Advanced	Log in	
4.2.0.2050			
4.2			

Advanced Login Options

Access Code Reset

To modify the Access Code while in Configuration, click **Reset** and enter the new Access Code you received from the Service Provider.

Access Code: Reset

NOTE: this should only be performed on the guidance of your service provider.

Options

NOTE: The Use proxy and Ignore invalid certificates settings should only be enabled for use if required for your system and if you are instructed to enable either of these by your service provider:

Options:	Use proxy	
	Ignore invalid certificates	

First Login Wizard

At the first login after installation, a list of the available telephony devices for your user account will be displayed.

- Click to place a check in the box adjacent to a listed device to enable for use. At least one device must be selected and if multiple devices are enabled, a Preferred device can be chosen from the drop-down list, as well.
- 2. Click Next.

- W	Aelcome	×
Welc	come to Go integrator Cara.	
ones	account has been configured with the following devices. Please enable to that you would like to use.	1e
M	Webies	
Ø	realink T42G	
\square	vealink T46G	
\square	Anywhere Mobile	
Ø	Softphone	
Ø	Teams (Requires login)	
Prefe	tried device:	-
Tean	15	Y
	Buck Next	-

The selection can be amended after initial login by going to Configuration > Devices.

NOTE: The Primary device must be selected for Contacts to be displayed or searched in the Presence window.

If the "Softphone" device is available and is selected, the PC audio device configuration settings will be displayed – choose the appropriate audio devices for microphone, speaker, and ringer.

🕬 Welcome	×
Configure your audio devices	
Microphone	Microphone (USB Audio Device)
Speaker	Speakers (Realtek(R) Audio)
Ringer	Speakers (Realtek(R) Audio)
	Back Finish

If "Teams" is selected, the Microsoft Teams user account will request Teams login confirmation.

Sign in to your account		
M	icrosoft	
Pick	an account	
Ď	Christopher Tuzzeo Connected to Windows	
+	Use another account	
		Back

NOTE: additional configuration is required within the Microsoft Teams Administration portal.

Importing Data From Go Integrator | CRM Connector v3 Client

If enabled, Go Integrator | CRM Connector can offer to import configuration data from the previous installation of the Go Integrator | CRM Connector v3 client. Data that can be imported includes:


- User login credentials.
- Presence window Favorites.
- CRM integrations (including 'controlled' integrations but excluding Outlook Contacts).

Prerequisites: It is important to get with your Service Provider to order the correct v4x license and get the Access Code <u>before</u> you attempt to upgrade from within your v3 instance.


Welcome to Go	Integrator Cara. Pleas	e log in with your u	username and passy	vord.
User:	username@teleph	nonesystem.com		
Password:	******			
	Auto login			
	Login	Cancel	Advanced	1

Note: Integrations that have a 'Plus' version in Go Integrator | CRM Connector will still be imported as a V3 integration only, so will need to be configured again manually as a 'Plus' integration if the 'Add Contact' feature is required. On startup, user login credentials will be automatically populated.

1. Click Yes to import the CRM integrations discovered from the v3 installation to the new Go Integrator when prompted to confirm.



2. Click Yes when the Presence Window offers to import presence settings as Favorites



3. Click on OK when in the pop-up message confirming the quantity imported displays.



4. The CRM integrations will initially be 'disabled' and need to be 'enabled' and 'authorized' to complete the process.

Note: The import of data from v3 to v4x takes place during first login steps for v4x, right after the access code for the new license is entered and may take some time to complete.

Configuration	in the second		0
Interface Dialling Devices API	Name Enabled Microsoft Dynamics 365	Microsoft Dynami	Enable Configure
	Caching		
Call events Availability	Cache frequency, minutes Status:		60
	Activities Pop automatically on inbound		Never
Google Contacts	Create activity on call end		[
Microsoft Dynamics 365	Show activities on call		ſ
(Add new)	Integration test		
? ABOUT	Check connection		Check
Log Versions	Test search		Test
	Help	Delete	Save Cancel

The 'Presence Window' will display the imported contacts as 'Favorites'

but will also display the complete User contact list in line with Large

 Favourites Al Maudlin Alex Rogers RC Rob Cox Umar Ijaz Development Daniel Green Daniel Yates Jonny Ingall Koban Davis Toby Moxham Umar Ijaz Yanis Kross Yana Marketing Al Maudlin Rachael Neel RC Rob Cox Operations

Q Search

OPERATING MODES

Directory Mode settings.

Go Integrator | CRM Connector v4.x can operate in either of two modes: Tray menu or AppBar

mode. The default is Tray menu mode (AppBar position is set to "none").

The features and functions are almost identical with only slight differences between the two modes.

The mode is user-configurable via Configuration > Interface > AppBar mode after login.

Tray Menu

In the default Tray menu mode, Go Integrator | CRM Connector runs as a system tray program, displayed as a colored circle icon within the system tray. The icon color represents the current user status: e.g., green for ready or available status.

To open the Tray menu to access tools and settings, right-click the Go Integrator icon found in the system tray.

Icon Definitions



- Home: Return to main Tray mode menu




- Recent calls: Summarized call history



- Preferred Device: Select the preferred device used to make and receive calls







• Call Center: If enabled, Telephone system Call Center tools

?

- Help: Search and open relevant topics in online help



- Exit: Change password, Log out (shut down), or Exit.

To keep the Tray Icon visible, drag and drop the icon to the taskbar:



AppBar

If preferred, most Go Integrator | CRM Connector app license types can also operate as a native docked Windows tool bar which is called AppBar mode. To Enable AppBar Mode:

- 1. Right-click on the system tray icon.
- 2. Select Configuration to begin making the change.




3. Select the Interface configuration page to view the Position setting.

Position – choose the desired position (Left or Right side of screen) for the AppBar. None = Tray mode (default).

AppBar	
Position	None
	None
	Left Right

4. Click Save to update the setting and start using AppBar mode. The AppBar is displayed as docked to the side of the Windows desktop the user selected.

The features and functions of AppBar mode are similar, but not identical, to Tray menu mode:



Status Indicator Icon

In either Tray menu mode or AppBar mode, the icon color displayed represents the status of your user extension availability.

- Green: User is ready/available
 - Red: User is busy (flashing indicates the phone is ringing)
- Amber: User is away (flashing indicates a current call is On hold)
- DND/No Entry sign: User is set to Do Not Disturb

PREVIEW WINDOW

The **Preview** window presents an unobtrusive pop-up notification and information summary when a call is made or received. It also offers call control and additional tools for actions such as open contact data or write to activity log, depending on user, device, and CRM integration configuration:

📞 Out	going call: Connected		×
СН	Chris Huffman NASA +44 7766-992184 Mobile services		
Astrona	ut		
Contac			1
00		Softphone	14s


The Preview window is hidden after 10 seconds by default (this can be changed in *Configuration > Interface*). Hover the cursor over the status indicator icon to display the Preview window again.

Positioning

The preview window can be re-positioned to snap to any quarter of the screen.

You may drag the preview window by the header and drop into the desired quadrant on your desktop and that is where it will display until you reposition it.

*Note: The preview window will snap to a fixed position in one quarter of the screen.



Preview Information

The Preview window can display contact name, company name, telephone number and location (if available) along with additional notes, all retrieved from any integrated address book or business CRM integration. Additionally, the Preview window displays the connected device name in use and the duration of the call.



The Preview window provides both call control action buttons as well as contact or CRM integration action buttons.

Call Control and Actions

The following actions and controls are available from the Preview window when a call is in progress but depending on the device in use and the address book or business CRM integrations available:

	Answer / Deflect	When a call is ringing, you can choose to answer the call by clicking the "Answer" button or deflecting it (transfer it without answering it) to another extension.
3	Hang Up	End the call
	Hold / Resume	Pause/Resume the call - the caller will hear hold music if available Note: The hold button is <u>not</u> utilized for transferring calls.
()	Consult	Place the current call on hold and transfer the call to another extension
()	Transfer	Blind transfer to another extension without introduction
0	Complete Transfer	Connect the original call to the transfer destination recipient and disconnect
()	Cancel Transfer	Cancel the call to the transfer recipient and return to the original call
	Call Pickup	Answer call ringing at another member of your pickup group
	Send Digits	Softphone only: send DTMF during connected call
٩	Show Contact	Shows the full contact details, obtained from the Netsapiens directory
	Add Contact	Add the caller to the shared address book or integrated CRM business applications
8	Open / Pop Contact	Open the full contact details within an integrated CRM business application. The icon shown will relate to the CRM application (e.g. Google, Salesforce).
(=)	Create / Show Call Task	Creates and opens a call activity (call log) in an integrated CRM business application. The icon shown will relate to the CRM application (e.g. Salesforce, Dynamics) and also the type of entry: Contact, Account or Lead.

Answer and Deflect

An incoming call can be answered or deflected, depending on the device type in use.

ncoi	ming call: Ringing	×
Р	Paul Mondago 503-910-9105 Oregon	
> 450	1 US Support	
<u>@</u> @		15s

- 1. Olick the Answer button to connect the incoming call to your preferred device.
- 2. 6 Click the Deflect button to enter the destination to redirect the call to without answering
- 3. After the Deflect button is clicked, the number entry box appears.
- 4. Enter the extension or external telephone number to deflect the call to and then click 🕑 to deflect the call.

OR click cancel 区

Incoming call: Ringing Paul Mondago 503-910-9105 Oregon 4501 US Support	×	
Р	Mondago	
> 4501	US Support	
() 37		9_

Hold and Hangup

A connected call can be held, transferred, or disconnected, depending on the device type in use.

1. U Click the Pause button to place the current connected call on hold.

(the caller hears hold music if enabled in telephony system).

- 2. Olick the Play button to retrieve the held call:
- 3. Click the Hangup button to end the call and disconnect the other party.

COut	going call: Connected	×
СН	Chris Huffman NASA +44 7766-992184 Mobile services	
Astrona	ut	
Contact	1	
	Softphe	ine 14s

Transfer

Calls can be transferred with either a "consult" introduction to the transfer target destination, or "blind" without any introduction.

Blind Transfer

To transfer the call without an introduction:

- 1. Click the Transfer button 🤨
- 2. Enter the transfer target telephone number into the dial entry box:

8012345678

- Click the Confirm button to transfer the call to the target recipient
- 4. Or click the Cancel button to return to the call without transferring 💌

Consult Transfer

To transfer the call with an introduction:

- 1. Click the Consult button 🧐
- 2. Enter the transfer target telephone number into the dial entry box



- 3. Click the Confirm button to place the current call on hold and call the target recipient 🥑
- Or click the cancel button to return to the call without transferring
 The Preview window now shows the original call in HeldXfer state and a new, overlapping Preview window for the outbound transfer destination.
 The Preview window header can be clicked to switch the display between the two parties (this does not switch the call between the connected parties, only the display window).

📞 Inco	ming call: HeldXfer		х
C Out	going call: Dialling		×
VI	(Virginia, United States of America) +1 (571) 441 5959 Virginia		E
00		Yealink-T40P	45

 Click the Complete Transfer button to connect the two parties and disconnect from the call Or click the Cancel Transfer button to disconnect the outbound call and return to the original call without transferring:

Outgoing Calls

The Preview window appears for both inbound and outbound calls. Initially the call status will be Dialing.

The other information and icons displayed will depend on whether the telephone number is already found within any address books or integrated CRM applications and which device is used to make the outgoing call.

.... offer \sim

C Outg	poing call: Dialling		×
MS	(Mobile services)		
MS	(07825) 112 378 Mobile services		æ
			e
3		Yealink-T40P	85

		the ou	tgoing c	all.	
call handling button	s, dependent on	the device	used to	mak	е
Once answered and	l "Connected", t	he Preview	window	WIII C	offe

COut	going call: Connected	×
СН	Ohris Huffman NASA +44 7766-992184 Mobile services	
Astrona	ut	
Contac	1	
	Softphone	145

Note: The outgoing call process will vary with the preferred device type selected – a dial back call may need to be answered first on the selected device before the outgoing call is made.

Show Contact

Show Contact opens the contact within the integrated CRM application or address book.

If the contact is found in the telephone system directory, a data entry window is displayed with action buttons:



Click to dial the selected telephone number displayed.

If the contact is found in the user's Personal directory, the option to Edit/Save or Delete is also presented.

💄 Directory: P	ersonal X
Name Company	John Smith SupplierA
Telephone	5714415959
	Delete Save Cancel

Add Contact

When the call Preview window displays a call that is not yet found in any integrated address book (or is found in some but not all integrated address books) the Add Contact icon is displayed. This offers a quick method to insert the contact details into multiple locations.

Entry not found in any address book

Phone number	01122334455	_
Туре	Directory: Personal	
Name	Directory: Personal Google Contacts: Contact Microsoft Outlook: Contact	
Company	Salesforce: Lead Salesforce: Contact	
Nomber type	Salesforce: Account	_
E-mail		
Somal) Notes		

Entry found in all address books except PPL

Phone number	07825112378	٦
Thome multiper		_
ype	Directory: Personal	-
Name	Directory: Personal CustomerA	
Company	CompanyA	
komper type	Telephone	2
-mail	kjhakfjhdj	
Notes	additional notes Really good customer!	
	additional satesforce notes	

Select which integrated address book Type to add the contact into and either Save or Save and Edit to also open the contact within the selected address book. The stored details are then used to add to the next selected address book *Type* to quickly duplicate the contact record into multiple locations.

Multiple Calls

When multiple parties or calls are in progress, the Preview window will *stack* each call with the currently active call initially at the front in full view.

🦰 Incoming call: Ring	ging	×
📞 Outgoing call: Coi	nnected	×
Paul Mondago 503-922-610)5 Oregon	
This is my contact info		
Personal Employee		A 10 10 10 10 10 10 10 10 10 10 10 10 10
		1m 12s

Clicking on the **window header** will bring an inactive Preview window to the front and into view.

Note: Selecting another Preview window does not affect the connected call.

	going call: Connected	×
DH	ming call: Ringing 🔀	×
Un	+1 (503) 910 9105 Oregon	
		٩
23		Зs

Missed Calls Notification

If a call is presented but the caller abandons before being answered, the Missed Call notification window is displayed and remains on screen until acknowledged or actioned.

🎽 1 mi	ssed call	×
СН	Chris Huffman NASA (07766) 992 184 Mobile services	
Astrona	ut	
Shared	C	
00	\mathbf{E}	

Close Window

Select "x" to close the preview window. Note: Closing the preview window does not end the call

📞 Incoi	ming call: Connected	×
Р	Paul Mondago	

PRESENCE




The Presence window provides a quick way to check the availability of your co-workers. This is done via their Telephone system extension status (BLF-Busy Lamp Field) or, if enabled, via a blended combination of Telephone system extension and availability status.

In either Tray mode or AppBar mode, the Presence window can be re-sized and docked to the right or left edge of the screen using the dock "pin" icon.

Example Presence with Telephone system BLF

٩	Search		=
	Project Man	ageme	^
CF	Christina Fro	st	
JD	Javier Delga 2248	do	
Ŕ.	QA		
	Release Man	agem	
BW	Ben Whyte 2249	000	5
	Sales		
AE	Alan Elston		

Example Presence with 3rd party Availability



Extension Status (BLF)

The user extension status is indicated by a mixture of icon color and status text:

Al Maudlin	AvailableBusy / In a call
Alan Elston Held call	 Ringing (flashing) Held call (flashing)
Alex Rogers Ringing call	 Do Not Disturb Extension offline

User Availability Status

For Go Integrator CRM Connector TEAM and UNITE users, co-worker availability can display as a combination of		Available
Telephone system extension status and Microsoft Teams	•	Available
user Availability status (if set up/configured to do so),	•	Busy / In a call / In a meeting
indicated by a mixture of icon color and status text:	•	Ringing (flashing)
Note: An active call via the Telephone system extension will	•	Held call (flashing)
take precedence over any Teams Availability status	•	Away / Be Right Back
indicators.	•	Do Not Disturb / Presenting
	\bigcirc	Extension offline
		Extension Available - Teams offline

Large Directory Mode

The Presence list is typically auto-populated by up to 250 Telephone system extensions or up to 50 Teams users. This threshold value can be specified differently by your service provider to avoid excessive demands on system resources for very large User directories.

If your Telephone system User list contains fewer co-workers than this threshold, the Presence window will be automatically populated with contact icons for all co-workers. Above this threshold, the Presence window will not be automatically populated but instead, contacts can be found via the 'Search' facility and added as 'Favorites' to remain visible in the Presence window.

Contact Sorting

Co-workers in the Presence windows can be organized by the Telephone system configured Department, Location or Group, or to display contacts as a single alphabetically ordered list of co-workers, select None.

If preferred, contacts can be sorted by Telephone number instead of Name order



Q Search	100		
	Group by	*	
 Development 	Sort by		Telephone
			✓ Name

Contact Search


The **Search** bar at the top of the Presence contact list allows users to locate and display contacts in the main presence window that match a search for either First name, Last name, Telephone number or even Teams Availability status (if enabled).

Note: The search includes ALL items found in the Telephone system "Users" directory, whether they are visible in the Presence window co-worker list or not.

Q Search

Enter 2 or more characters to search the User list.

To cancel the search or start a new search, click the cancel icon



Slide out Menu

Hovering the mouse cursor on a contact will display the slide-out menu offering different actions depending on the current call status:

Coll the contact

Show user contact details

- 😒 add contact to favorites
- (Consult transfer (during an active call)
- Blind transfer (during an active call)
- Opens Teams chat message


The Show User option will open a separate window displaying all contact information available from the Telephone system user directory:





ADDRESS BOOK SEARCH

In Tray mode, the Address Book window opens as a separate search window.



In AppBar mode, the address book search is opened as a pop-out window from the main AppBar and can be docked to keep permanently in view using the pin button

The behavior is identical with either mode.

Enter a contact name, company name or telephone number to search for, then click "Go".

Tray Mode Address Book Search

	-		×
New contact *		Go	
			*
8005551234 Personal		0	0
			10
8005551234 Contact		C	
	6005551234 Pressonal	8005551234 RHINNI	New contact • Go 6005551234 Remote

Matching entries are displayed from any integrated CRM business application, the Telephone system User list and any enabled shared or personal phone list (PPL).

Hovering over the displayed results will present a slide out menu offering click to dial, or click to "Show Contact" (in Edit mode, if authorized).

AppBar Mode Address Book Search



Show Contact

Show Contact opens the contact within the integrated CRM application or address book.

If the contact is found in the telephone system directory, a data entry window is displayed with action buttons:

👃 Directory: Personal			
Name	John Smith		
Company	SupplierA		
Telephone	5714415959	٩,	
	<u>D</u> elete <u>S</u> ave	Cancel	

Dial the selected telephone number 🥾

If the contact is found in the user's Personal directory, the option to Edit/Save or Delete is also presented.

Advanced Search

Select the Advanced search option to use more specific filters or search on alternative contact details such as contact notes or address details, if supported by the source address book:

Advanced	search	•
What:	(Type, Notes)	
Where:	(Street, Address, Town)	
Source:	(All)	~
	(All) Directory	
	Microsoft Outlook Google Contacts	

New Contact


Select "New contact" to add a new entry to the Personal Phone List (PPL)

Address Book Search: (Name, telephone number, etc)	- 🗆 X	💄 Directory: Personal	×
Advanced search	New contact Go Go Directory: Personal	Name Cara Jones Company Go Integrator Telephone 8005551234 Delete	Save Cancel

Fill in the contact details and select Save.

QUICK DIAL / SEARCH (TRAY MENU)

At any time, other than while searching Help, the Tray menu "Search" bar can be used to **Dial** any number or search for a contact name within any integrated address book.



Quick Dial from Tray Menu

To make a call, simply type the number to dial and press Enter:

Ð		
?		
Q	(No results)	
8⇔		
Ø		
6	Search results	

Note: The dialing method is the same regardless of the preferred device type selected: Deskphone, Softphone etc. However, the call process will vary with the preferred device type selected – a "dialback" may need to be answered first by the selected device before the outgoing call is made.

Contact Search from Tray Menu

Contacts can be found by entering characters from the contact's name (first, middle, last etc.), company or telephone number.

Any matching contact will be displayed – simply click the number to dial, or hover over the contact and use the slide out toolbar to open the contact within the integrated CRM application.



Matches found within the Users contact list can also display live presence status and, if enabled, Microsoft Teams availability status. Hovering over a User entry will open the slide out toolbar offering the option to call or open the contact. The contact can also be added to favorites and if enabled, start a chat message in Microsoft Teams.

During a connected call, the Dial / Search tool can be used to transfer the call to a contact.

Users		
DS Donna Summer	63	0

DIALING

Dialing via Tray Menu

In Tray menu mode, simply right-click the Go Integrator | CRM Connector tray menu icon, type the number to dial and hit Enter.



Note: The dialing method is the same regardless of the preferred device type selected (Deskphone, Softphone etc.). However, the call process will vary with the preferred device type selected – a "dialback" may need to be answered first by the selected device before the outgoing call is made.

Dialing via AppBar

In AppBar mode, the Calls page also includes the Dial bar.



Type the required telephone number and hit Enter, or click the **Call** button to make the call:

Calls	ti
01122332211	0

Note: The dialing method is the same regardless of the preferred device type selected: Deskphone, Softphone etc. However, the call process will vary with the preferred device type selected – a "dialback" may need to be answered first by the selected device before the outgoing call is made - typical for Softphones.

CALL HISTORY



The Call History provides a quick reference for the most recent 60 calls (last 20 incoming calls, last 20 outgoing calls and last 20 missed calls). Any number listed can be called by a single click on the number displayed.

V Outgoing call

😍 Incoming call (answered)





Slide Out Toolbar

Hovering the cursor over an entry displays the slide out toolbar which offers a variety of actions dependent on the current call status and address book information retrieved:



Call / Transfer



Show Contact (icon reflects CRM source)

Add call activity (if available)

Add Contact (if available)


Add Contact

When the call listed is not yet found in any integrated address book (or is found in some but not all integrated address books) the Add Contact icon is displayed and offers a quick method to insert the contact details into multiple locations.

Entry not found in any address book

Phone number	01122334455
Type	Directory: Personal ~
Name	Olectory Personal Google Contacts: Contact Microsoft Outlook: Contact
Company	Salesforce: Lead Salesforce: Contact
Normal tips	Salesforce: Account
E.4041	
Notes.	

Entry found in all address books except PPL



Select which integrated address book "Type" to add the contact into and either "Save" or "Save and Edit" to also open the contact within the selected address book. The stored details are then used to add to the next selected address book "Type" to quickly duplicate the contact record into multiple locations.

CALL TOOLBAR



The Call Toolbar is a user interface that can be docked to the top or bottom of the desktop display and provides quick access to many core features including call handling, call preview information and call center tools. Note: The Call Toolbar feature availability will vary by both Go Integrator | CRM Connector and Telephone system user license type.

Standard features are available with SOLO, TEAM and UNITE user license

Example of standard user Call Toolbar


	(C) Harryup		(D) Pekap	En real	(S) Marca	AF #51117 Avetha Franklin # 8519 Cex Reliding	AF
--	----------------	--	--------------	---------	--------------	--	----

Call Center features are only available with the UNITE user license and Telephone system Call Center features.

Example of Telephone system Call Center and UNITE user



To dock the toolbar, move the bar to the top or bottom of the screen using the "drag" area, then select "dock":



Select "dock" again to reset the toolbar position, if required.

Features

CRM Integration

The left-hand window of the toolbar displays call preview information including CRM integrated caller details plus target extension / group / queue name.



Contact popping and Activity logging can also be triggered from within the window via the presented icons, if available with Add Contact displayed if the contact record is not found in all available address books.

Call Control and Actions

The following actions and controls are available from the Preview window when a call is in progress but depending on the device in use and the address book or business CRM integrations available:

 ⊘ (€) 	Answer Deflect	Elect to answer the call by clicking the "Answer" button or deflecting it (transfer it without answering) to another extension.
3	Hang Up	End the call
	Hold/Resume	Pause/Resume the call - the caller will hear hold music if available
•	Consult Transfer	Place the current call on hold and to inform another extension that you wish to transfer the call
•	Blind Transfer	Blind transfer to another extension without introduction
6	Complete Transfer	Connect the original call to the transfer destination recipient and disconnect
()	Cancel Transfer	Cancel the call to the transfer recipient and return to the original call
\odot	Call Pickup Send	Answer call ringing at another member of your pickup group
	Digits	Softphone only: send DTMF during connected call
٩	Show Contact	Shows the full contact details, obtained from the Netsapiens directory
	Add Contact	Add the caller to the shared address book or integrated CRM business applications
0	Open/Pop Contact	Open the full contact details within an integrated CRM business application. The icon shown will relate to the CRM application (e.g. Google, Salesforce).
(° (2)	Create and Show Call Task	Creates and opens a call activity (call log) in an integrated CRM business application. The icon shown will relate to the CRM application (e.g. Salesforce, Dynamics) and also the type of entry: Contact, Account or Lead.

Note: The hold button is <u>not</u> utilized for transferring calls.

Answer and Deflect

An incoming call can be answered or deflected, depending on the device type in use.



Click the Answer button to connect the incoming call to your preferred device:

Click the Deflect button to enter the destination to redirect the call to without answering:

After the Deflect button is clicked, the destination entry box appears.

Deflect	al	\odot
Deflect	Al Maudlin [2273]	
	Alan Elston [2261]	
	Alex Rogers [2241]	

Enter the extension name or number to deflect the call and then click the Confirm Deflect 🕗 button

Or click the Cancel 区 button to cancel the deflection

Hold and Hangup

A connected call can be held, transferred, or disconnected, depending on the device type in use.



U Click the Pause button to place the current connected call on hold (caller hears hold music if enabled in the telephone system).



Click the Play button to retrieve the held call

Click the Hangup button to end the call and disconnect the other party


Transfer

Calls can be transferred with either a "consult" introduction to the transfer target destination, or "blind" without any introduction.

Blind Transfer

1 To transfer the call without an introduction, click the "Transfer" button.

Enter the transfer target telephone number into the dial entry box



Oclick the "confirm" button to transfer the call to the target recipient:

Or click the cancel button to return to the call without transferring:

Consult Transfer

It transfer the call with an introduction, click the "Consult" button

Enter the transfer target telephone number into the dial entry box

8012345678

O Click the "confirm" button to place the current call on hold and call the target recipient:

 $igodoldsymbol{\bigotimes}$ Or click the cancel button to return to the call without transferring:

The Call Toolbar now shows the transfer destination with left and right arrow buttons to switch between the two connected calls if required (this does not switch the call between the connected parties, only the display window).

CS.	(01757) 282 (Selby 2261 Alan Elston		€,	0	0	0	©	0	Q.	O.	-000-	××
-		Yealink-T40P	121	Answer	Make call.	Pickup	Complete	Cancel	Available	Assistance	Queues	

Click the "Complete transfer" button to connect the two parties and disconnect from the call:

Or click the "Cancel transfer" button to disconnect the outbound call and return to the original call without transferring:

Outgoing Calls

Click the Make Call button to begin an outgoing call then click to confirm the number and begin dialing.

(No call)	0112233445566		0	-000-	XX
	THORE CON	Available	Assistance	Queues	100

Alternatively, the Telephone system user list can be searched by name if you wish to call a co-worker.

(No call)	Make call Rob	rob	00	Q.	0	-00-	XX
		Rob Cox [2247]		Available	Assistance	Queues	

Once answered and "Connected", the Call Toolbar will offer call handling buttons, dependent on the device used to make the outgoing call.

C	(07825) 112 378 CustomerA 2261 Alan Elston		0	0	•	3	(1)	Q.	0	-000-	XX
	Really good customeri	Yealink-T40P 11s	Answer	Consult	Transfer	Hangup	Hold	Available	Assistance	Queues	

The display window shows the same information for both inbound and outbound calls. The information and icons displayed will depend on whether the telephone number is already found within any address books or integrated CRM applications and which device is used to make the outgoing call.

Note: The outgoing call process will vary with the preferred device type selected – a dialback may need to be answered first by the selected device before the outgoing call is made.

Show Contact

"Show Contact" will open the contact within the integrated CRM application or address book.

If the contact is found in the telephone system directory, a data entry window is displayed with action buttons:

🔔 Directory: Pe	ersonal	×						
Name	John Smith							
Company	SupplierA							
Telephone	5714415959							
	<u>D</u> elete <u>S</u> ave	Cancel						

Dial the selected telephone number and click the dial button


If the contact is found in the Personal directory, the option to Edit/Save or Delete is also presented.

Add Contact

When the Call Toolbar displays a call that is not yet found in any integrated address book (or is found in some but not all integrated address books) the Add Contact icon is displayed. This offers a quick method to insert

the contact details into multiple locations.

Entry not found in any address book



Phone number	07825112378
Type	Directory: Personal
Name	Directory: Personal Clintomera
Company	CompanyA
founder type	Telephone
E-mail	kjhakfjhdj
Notes	additional notes Really good customer!
	additional salesforce notes

Entry found in all address books except PPL

Select which integrated address book "Type" to add the contact into and either "Save" or "Save and Edit" to also open the contact within the selected address book. The stored details are then used to add to the next selected address book "Type" to quickly duplicate the contact record into multiple locations.

RECENT CALLS (TRAY MENU)



The Recent Calls list displays a summarized list of recent calls, reduced to show only one entry per contact, regardless of how many calls were made to or received from the contact.

You can:

- Click the displayed number to dial.
- Hover over the contact and use the slide out toolbar to manage the contact information or dial the contact within the integrated CRM and/or Add the number to a directory or integrated CRM contact list.



PREFERRED DEVICE



When the Telephone system user has multiple devices configured and available, users can select which will be the Preferred Device used to make and receive calls.

In Tray mode, the Preferred Device icon offers a drop-down menu selection from the devices available.

Preferred Device Select the primary device to make and answer calls Webex Yebex Yealink-T40P Softphone Teams

In AppBar mode, the Preferred Device drop-down menu is displayed within the "**Calls**" window.

Calls	4
(Number to dial)	C
Yealink-T40P	v
Webex	
Yealink-T40P	
Softphone	
Teams	

CALL CENTER



If enabled in the Telephone system user profile, Call Center features are visible and can be controlled from the Tray Menu, AppBar, or Call Toolbar.

Note: Call Center features always requires Go Integrator | CRM Connector UNITE user license.

Tray Menu / AppBar Call Center settings

Select Queue membership and Agent availability status

Call Center	4	Call Center
Agent state		Agent state
O Available	~	🤉 Available 🗸 🗸
		Available
Queues		O Unavailable
Join Name		G Signed out
 ☑ Sales Inc ☑ Sales Ltd 		Sales Ltd

Agent states are configurable by your Telephony admin in the Telephone system Call Center settings.

Call Toolbar Call Center Settings

Queue Membership and Queue Information

The Call Toolbar displays the following Call Center queue information:

- Which queue(s) the agent is assigned to (indicated by the check box).
- Number of agents configured within the queue.
- Number of agents currently available to take a call.
- Expected wait time for callers currently in the queue.

(No i	call)	Answer	Make call	Pickup	Hangup	(II) Hold	O . Available	Assistance	- 00- - 00- Queues	**
Join	Name		Telephone		alls in queue	Total agents	Availab agents		Wait time	
	Sales Inc.		4502		0	4		3		
	Sales Ltd		4405	-	0	3		2		

Agents may join or leave a queue using the check box on the left-hand side.

Note: Call queue statistics are provided directly from the Telephone system platform.

Agent Availability

Select agent availability status:



Agent states are configurable in Telephone system Call Center settings.

Assistance

Select "Assistance" while in a call to escalate to a supervisor defined in the telephone system.



Note: This action simply sends the #83 feature (Star) code.

Call Outcome (Disposition)

An Outcome code can be set while the agent is in a call from a Call Center queue or in "Wrap-up" status.

The Outcome codes are configurable in the telephone system.

Outgoing Number

Allows the agent to select the outgoing DNIS presented to the called party. This can be set manually by selecting a number from a drop-down list from the toolbar:

Refer to "Automatic Number Presentation" for further details.

Note: The Outgoing Number feature requires the Telephone system Premium Call Center DNIS service.

Features Available by Call Center Type

Feature/Call Center type			Premium
Join queue	Yes	Yes	Yes
Availability	No	Yes	Yes
Queue stats	No	Yes	Yes
Assistance	No	Yes	Yes
Disposition/Outcome codes	No	No	Yes
Outgoing Number	No	No	Yes

Feature Visibility

Toolbar features availability is dependent upon:

- a) The user's license type assignment Call Center features always require UNITE user license.
- b) The Telephone system Call Center services assigned to the user.
- c) The queue type associated with the active call.

Protocol Support

Toolbar agent features are available with XSI over both HTTP/S and CTI protocols.

Note: Agent features are not available when using Go Integrator | CRM Connector in UC-One mode.

1 Promotions
2 Promotions

9

Promotions&Hotline/ (Premium >

Promotions&Hotline/ (Premium)

Outgoing number:

(My own number)

CALL SETTINGS

Launch icon:

Call Settings provides access to many of the Telephone system user profile call settings, allowing configuration of DND, Forwarding, Line properties and Anywhere profiles.

The Call Settings options available are controlled and limited by the Telephone system's user level settings.

Incoming Calls


Enable **Do not disturb** to prevent incoming calls. Optionally, enable 'Ring splash' to briefly show incoming calls before they are redirected.

Tick the required option then 'Save' to apply the setting or 'Discard' to abandon the change.

Call Settings			-		×
Incoming calls	-	Do not disturb			
Do not disturb	Off	Enabled Ring splash			
Calling line		king splasn			
Withhold number	Off				
Call forwarding					
Forwarding always	Off				
Forwarding busy	On				
Forwarding no answer	On				
Forwarding not reachable	On				
Broadworks					
Anywhere					
			Save	Dis	card

Calling Line

Enable Withhold number to hide your telephone number when making outgoing calls.



Call Forwarding

Users can manage forwarding options in the Call Settings. Tools are provided based on the selected setting.

Call Settings			– 🗆 ×
Incoming calls		Forwarding always	
Do not disturb	Off	Enabled	
		Ring splash	
Calling line		Destination	01733667800
Withhold number	Off		
Call forwarding			
Forwarding always	Off		
Forwarding busy	Off		
Forwarding no answer	Off		
Forwarding not reachable	Off		
Broadworks			
Anywhere			
			Save Discard

Forwarding Always

Enable Forwarding Always to redirect incoming calls immediately to the specified destination phone number (entered).

Ring Splash

Enable Ring Splash while setting Forwarding options to show a notification of the forwarded call.

Forwarding Busy

Enable Forwarding busy to redirect incoming calls to the specified destination when already busy on a call.

Forwarding No Answer

Enable Forwarding no answer to redirect calls to the specified telephone number (entered) after the selected number of rings (defined).

Forwarding Not Reachable

Enable Forwarding not reachable to redirect incoming calls to the specified telephone number when your device is unavailable for any other reason:

BroadWorks Anywhere

Call Settings				~		×
Incoming calls		Anywhere				
Do not disturb	Off	Alert all locations for click-to-dial Alert all locations for group paging calls				N N
Calling line Withhold number	Off	Locations		Add I	ocation	
Call forwarding						
Forwarding always	Off					
Forwarding busy	Off					
Forwarding no answer	Off					
Forwarding not reachable	Off					
Broadworks						
Anywhere			Terr	Save	Disc	ard

- Enable Anywhere settings to configure external telephone number locations to handle calls.
- Enable Alert all locations for click-to-dial for notifications to appear at all locations.
- Enable Alert all locations for group paging calls for alerts to appear at all locations.

Set External Telephone Number Location for Anywhere

To set up the external telephone number location

1. Select Add location and complete the required information.

Add location	
Enable service	
Number	01234567
Description	Mobile Office
Call control	
Diversion inhibit	
Answer confirm	

- 'Enable' the service and enter the full 10-digit number and description for this location.
- Select Call control to enable Telephone system based call handling capability when calls are in progress for this location.
- Select Diversion inhibit to prevent calls from being diverted within the Telephone system, for example, when the external location may take longer to be answered than the normal No Answer period.
- Select Answer confirm to enable a confirmation message that requires a key press for the call to be answered and connected.
- 2. Select Save to apply the settings.


NOTE: To make the Anywhere location available to be selected as the Preferred Device, it is necessary to Exit the Go Integrator | CRM Connector client and then restart.

HELP



The Help function offers a list of topics that are opened in your default web browser

Keywords can be entered into the Search bar to find specific topics – any topics that contain the entered keywords will be displayed.



2	Tray menu
Ċ	Right-click the green Go Integrator Clie
2	Preview window
1	The Preview window presents an inform
2	Toolbar
1	The Toolbar is a dockable user interfac
?	Presence
	The Presence window provides a quick

EXIT / SESSION



Use the Exit / Session button to change your password, log in as a different user or Exit and close Go Integrator | CRM Connector.



Ø

v

~

Auto detect

Save Cancel

CONFIGURATION



User defined settings are available within "Configuration" and are grouped into relevant areas: General, Events and Integrations with support information available via the "About" section.

terface Preview window

Call Toolbar

Actions

AppBar

Position

Hot keys Make call Answer Hangup Application load Start automatically with Wine Localization

Language

Always on top

EVENTS

INTEGRATION

(Add new)

Call ev

Show preview for call notifi

Connected hide delay Always on top

Show preview for missed calls

Show Contact in Edit Mode lif availab

Note: The parameters available may also vary depending on centrally managed configuration settings.

Configuration	No. or an and a second s		- 0	×
	 Interface 			
Interface	Preview window			^
Dialling	Show preview for call notifications			1
Devices	Show preview for missed calls			
Audio	Connected hide delay	10 secs	~	1
	Always on top			1
API	Call Toolbar			
& EVENTS	Always on top			1
Call events	Actions			1
Availability	Show Contact in Edit Mode (if available)			
	AppBar			
(Add new)	Position	Right	Ŷ	
A sector date				
? ABOUT	A Hot keys	-		
Log	Make rall	(none)	~	*
Versions		Save	Cancel	

Configuration > Interface

The most common user-defined parameters are within the "Interface" settings.

Preview window

Controls the behavior of the Preview Window.

review window		
Show preview for call notifications		
Show preview for missed calls		
Connected hide delay	10 secs	26
Always on top		

By default, the Preview Window is used to present incoming and outgoing call information and controls.

lf the	Call T	Toolbar is	nreferred	then the	Proview	Window	can he	disabled	(untick the bo	vy)
	Call	1001041 15	preierreu	, แוכוו נווכ	LIENEW	VVIIIGOVV	Call DE	uisabieu		///.

However, the Call Toolbar does not display any missed call information so the Missed Call Notification preview window can be enabled separately to the main preview window.

The main Preview Window is designed to be as unobtrusive as possible, so will automatically hide once a call is answered and in progress. Hovering over the Tray icon or AppBar status icon will bring the Preview Window back into view during a call.

The default hide delay is 10 seconds but can be increased or disabled (set to "infinite") to keep the Preview window permanently in view for the duration of the call.

The Preview Window will display in front of other windows but without taking focus from the current application in use. When "Always on top" is enabled the Preview Window will remain in view whilst continuing to work on the current application.

h	finite	5		
5	secs	<u>C.</u>		
1	0 sec	\$		
1	5 sec	\$		
2	0 sec	\$		
2	5 sec	\$		
3	0 sec	5		
З	5 séc	\$		
4	0 sec	\$		
4	5 sec	\$		
\$	0 sec	\$		
5	5 sec	s		
6	0 sec	5		

Call Toolbar

When the Call Toolbar is docked to the top or bottom of the screen, it will be permanently in view.

Call Toolbar	
Always on top	

However, if the Call Toolbar is not docked, it can either remain in view in front of the current application in use (default - "Always on top") or can be treated as any other application and remain out of view until selected.

Actions

Depending on the address book location, matching contacts are displayed in "standard" mode if opened by clicking the contact icon. With "Show Contact in Edit Mode" enabled, the contact is opened in "edit" mode, if available.

Actions	
Show Contact in Edit Mode (if available)	

Contact open in Salesforce "standard" mode

		All 🔶 CL Salardhul	
Sales Console	Leads 🗸	18 Incoming call: (0782	
Bob Jones &		Activity Chatter Details News	
+ Follow New Case	New Note 🗢	New Task Log a Call New Event Email	
Trie	Account Name	Create a task	Add
Phone (2) * \$07825112378	Imail bob jones@companya.com	Filters: All time + All i	activities · All types g
Contact Owner		bette	nh • Expand All • View
		→ Upcoming & Overdue	
		Incoming zali (07825) 112 378 (Bob Jonei) -> 2261 (Alan Elsten) You logged a call	Today .
		Incoming call (07625) 112 578 (Both Jener) -> 2261 (Alan Einton) You logged a call	Today *
		Vera More	
		No past activity. Past meetings and tasks marked as done show up here.	

Contact open in Salesforce "edit" mode

Corput Dyner	Alan Eiston			Phone:	07825112878
*Name	Salutation			Home Phone	
	None		۲		
	Fest?lame				
	Bob				
	+Lest Name				
	Jones				
Account Name	Sharen Accounts		Q.	Moslie	
Title				Other Property	
Department.				Yes.	
Birtholase			8	Enal	bob jones @compleya.com
Reports To	Sewith Christian		Q.	Assistant	
Lead Source	None			Aust Phone	
Mailing Address Naling Street				Other Address Other Street	
			1		
Making City		Atelling State/Prove	104	Other City	Other State Pro-
Mailing Zol/Rosta C	ice .	Making Country		Other Zip/Rostal Code	Dthie Country

Call Activity log open in Salesforce "standard" mode

			the second s
Incoming ca	ll: (07825) 112 378 [Bob Jones] -> 2261 [Alan Elston]		Completed for
	letated To		
lob Jones			
Details Relat	ed		
Assigned to	B Aun Elston	States.	Completed
Subject	Incoming call: (07825) 112 378 (Bob Jones) -> 2261 [Alan Elston]	have	Rob Jones
Due Dirte	20/01/2022	Related To	
Phoney	Normal		
Created By:	B Alan Eleton, 20/01/2022, 13:59	Last Visiones By	B Alen Eliton, 20/01/2022, 13:59
Convento	Direction Incoming Calier (07025) 112 378 (Bob Jones) Calier 251 (Bain Binor) Start: 2010 (2022 31:446 Danatory 000000		

Call activity open in Salesforce "edit" mode:

*Assigned To	Alan Eiston 8	*Status	Completed	
*Subject	Incoming call: (07825) 112 378 (Bob Jone Q	Name	Bob Jones	1
Oue Date	20/01/2022	Related To	🖬 🗸 Smarth Accounts.	1
* Priority	Normal			
Created By	Atan Elston, 20/01/2022, 14:00	Last Modified By	Alan Elston, 20/01/2022, 14:00	
Commenta	Direction: Incoming Caller: (07825) 112 378 [Bob Jones] Palled: 2263 Malan Floton)			

AppBar

Select which side of the screen to dock the AppBar, or disable AppBar to use Tray Menu mode (default).

AppBar		
AppBar Position	None	10
L.S.	None	
	Left Right	
	Right	

Public Image Service

Enable if using the Gravatar public image service:

Public image service	
Use Gravatar	

Hot Keys

Assign keystroke combinations to Make call, Answer and Hang up:

Hot keys		
Make call	Ctrl+0	0
Answer	Ctrl+1	U.
Hangup	Ctrl+2	*

Note: All hotkey combinations require CTRL, SHIFT or CTRL+SHIFT to be included

Application load

Enable automatic start up with Windows:

Application load	
Start automatically with Windows	Ø

Localization


Set language and formatting options to the appropriate locale:

Localization	
Language	Auto detect
	Auto detect
	English (UK) English (US) French German Dutch Russian Italian Portuguese Spanish

Note: By default, the software automatically selects the localization of the PC.

Configuration > Dialing

Manage outbound calling methods and outbound number presentation:



Dialing

Select the preferred method(s) for making outbound calls:

Focus dialing			
Application dialing			
ScreenRead dialing			
Applications to use dia			
Application	Form	Text box	

Note: Different dialing methods are offered for varying application types. Not all applications will support all dialing types.

Clipboard Dialing

Enables quick dialing by selecting telephone numbers and copying, either by key sequence or mouse click.

After the number is copied to the clipboard, a dial prompt notification appears in the corner of the screen.

Click the call button to initiate the outgoing call: (V)

The pop-up prompt appears in the same location as the Preview Window – drag to a different corner to change where the notification appears


Contacts.txt - Notepar		-		×
File Edit Format View	CONTACT	PHONE		4
GREYBURG INC. Jarlson Ltd. Hammonds LLC	JOSH THOMPSON Sierra Reynolds Katie Jones	800-555-1234 800-555-1212 800-555-4321	Сору	R
	Composing Number to dial:			×
indow	800551234			
	S			

Focus Dialing

Presents a dial icon within compatible applications for any field in focus containing a telephone number:

Click the dial icon to initiate the outgoing call

Note: The field must first be selected or in "focus" for the dial icon to appear and the telephone number must be in a valid format



Application Dialing

Presents a dial icon within compatible applications by hovering the cursor over a valid telephone number.

Click the dial icon to initiate the outgoing call S


Note: Application dialing requires configuration using the Application Dialing Wizard, as follows.

Select "Add" to open the Application Dialing Wizard.

		Form	Text box
Add	Edit	Rentiover	

File Contact	+ +	Hugh Manatee - Earth - Contai Help O
Save for Delete	we & New + Details sward + General & Certificates neNote & All Fields Show	
Full Name	Hugh Manatee	
Company	Earth	
Job title		
File as	Manatee, Hugh	
Internet		
Email.	10	
Display as		
web page address		
ild address.		
Phoor numbers		
Butinest.	+1 (503) 910-9105	C 2 ×

With the desired application open, drag the target to the appropriate field



Application Di	aling Wizard		×					
A detection pr	ocess is used to learn the application	on:		File Cont	act	Insert: 1	format Test Review	Help 🛇
2) Drag the tar 3) Release the	target icon below rget icon to the textbox that contai mouse button when the target is i ues below to best suit the applicat	bove the telephone number		Save & Delete Close	For	ne & New - nward + weNote	General Details	Email Meeting
Detect:		e textbox that contains the		Full Name Company Job title]	Hugh Man. Earth		
Form: Text box:	Hugh Manatee - Earth - Contac RichEdit20WPT	~		File as		Manatee, H	lugh	
	Exclude	Ned Cance		Display as Web page 40 IM address	•	-		
				Phone numbers Business	+	-1 (503) 91	0.9105	

With the target on the telephone number field, the application details and green check will appear

Select "Next", and then "Save"

Applications configured using the dialing wizard are displayed in the dialing menu.

Application		Form	Text box
OUTLOOK	XE	Hugh Manatee - Earth	RichEdit20WPT

ScreenRead dialing

Enables any valid telephone number, detected through image analysis, to be dialed:



Move the cursor over the telephone number you wish to dial and hold CTRL-SHIFT. The orange detection box appears and attempts to detect a valid telephone number. If the number is successfully detected, the telephone number will be converted to a Click-to-dial field – just click to initiate the outgoing call.

Note: Telephone numbers are not always detectable within images due to font style, alignment, or image clarity.

Automatic Number Presentation

Defines which pre-configured telephone numbers or area code to present on outgoing calls:

Automatic number presentation	
Enabled	
Matching:	Nearest area code 🔘
	Same area code 🔾
If no match use	(My own number) 🛛 😪
	(My own number)
	Promotions&Hotline/ (Premiu

Select "Nearest area code" or "Same area code".


Select a number from the drop-down list if no match is found.

Note: Requires Call Center Premium DNIS features enabled in the Telephone system and pre-configured telephone numbers for the users/organization.

Number Matching

Nearest area code: Uses nearest geographical area code configured in the Telephone system "Call Center DNIS number."

Same area code: Uses exact match of dialed number and Telephone system "Call Center DNIS number."



Dialing Helpers

Select a Browser extension or enable traditional telephony dialing interfaces.

Dialing helpers	
Browser extension	Download •
TAPI driver (dial only)	💎 Enable
CallTo protocol handler	Senable 6
TAPI request handler	Enable

Browser Extension

Web dialing enables Click to Dial of detected telephone numbers directly from a web browser:

Hugh Manatore (Contact) Salect X +	- 3
← → C ■ dev-ed.lightning.force.com/lightning.it/Contact/N031 II Aces	Outgoing rait During Hugh Manatee -503 510 9105
*	
Content Home Chatter Hugh Monetee (Contact) x	00
Tits. Account Name	
Tise Account Name Related Details News	

Select a web browser extension to install from the drop-down list:

Dialing helpers	
Browser extension	Download *
TAPI driver (dial only)	🧧 Edge Le
TADA services besedies	2 Edge
TAPI request handler	O Opera
CallTo protocol handler	P Chrome
	Firefox


Edge

Select Edge from the list of Dialing helpers in **partnerCRM** configuration. The default Windows browser will open from this action. It is recommended to set Edge as the default Windows browser.

Select "Get"



Select "Add extension"



A confirmation will appear:




Opera

Select Opera from the list of Dialing helpers in **partnerCRM** configuration. The default Windows browser will open from this action. It is recommended to set Opera as the default Windows browser.

Select "Add to Opera":



A confirmation displays:



The extension is enabled by default (green):

2	and can be disabled by selecting it (red)	-
	and can be disabled by selection if fred i	
	and ball be albabied by selecting it (rea)	


Chrome

Select Chrome from the list of Dialing helpers in partnerCRM configuration. The default Windows browser will open from this action. It is recommended to set Chrome as the default Windows browser.


Select "Add to Chrome":



Select "Add extension":



A confirmation will appear:



Select "Always allow" upon initial use to remember these settings:


ps://hughmanatee-dev-ed.lightning.force.co	om wants to open this application.
Always allow hughmanatee-dev-ed.lightning.	force.com to open links of this type in the associated app

The extension is enabled by default (green) can be disabled by selecting it (red)


Firefox

Select Firefox from the list of Dialing helpers in partnerCRM configuration. The default Windows browser will open from this action. It is recommended to set Firefox as the default Windows browser.


Select "Add to Firefox":



Select "Add":



Select "Okay, Got it" to confirm:



The extension can be disabled by selecting it (red):

Traditional Telephony Drivers

Enable TAPI driver (dial only), "CallTo" protocol handler, or TAPI request handler:

Note: Refer to the manual of your TAPI-enabled application to configure dialing.

Configuration > Devices

A Microsoft 365 Administrator can enable the permissions for Microsoft Teams integration features by clicking this link:

https://login.microsoftonline.com/

Manage Microsoft Teams integration and telephony device endpoints:

O Configuration		×
= GENERAL	 Devices 	
Interface	Microsoft Teams	
Dialling	Use for presence (Uses beta Graph API)	N N
	Allow calls to be made	
Devices	Publish "In a call" state (Uses beta Graph API)	
Audio	Presence	
API	Enable chat through Microsoft Teams	

Microsoft Teams

Enable Microsoft Teams integration features.

Microsoft Teams	
Use for presence (Uses beta Graph API)	Ø
Allow calls to be made	Ø
Publish *In a call* state (Uses beta Graph API)	Ø

Teams Availability in Presence

To view the status of co-workers Microsoft Teams Availability in the Presence window, enable "Use for presence"

Use for presence	(Uses beta Graph API)	N

If beta features have been enabled in your access code "Uses beta Graph API" will be displayed – this refers to the Microsoft Outlook Calendar based "Out of Office" status only. All other Teams availability states are released.

Allow Calls To Be Made From Teams

Enables calls to be placed through Microsoft Teams, provided there is a direct routing capability enabled within the Teams user account.

Ø

|--|--|

When "Teams" is selected as the Preferred Device, any telephone number to be dialed by Go Integrator | CRM Connector is passed to Microsoft Teams to complete the call:

Cancer	64
	Cancer

Publish "In a call" State To Teams

If beta features have been enabled in your access code, this beta Graph API feature will be displayed. This function enables Go Integrator | CRM Connector to change the Teams availability status to "In a call" when the user is on an active telephone call through the Telephone system.

Publish "In a call* state (Uses beta Graph API)	
---	--

Enable chat through Teams

Select to enable the option to open Teams chat conversations directly from the Go Integrator | CRM Connector presence window

Enable chat through Microsoft Teams

Note: To enable the Teams integration features, the following setup must be performed by the Global Administrator. Business or school user accounts are required-Personal accounts are not supported.

Login with your Microsoft account using the App Registration window:

Sign in to your account			×
M	icrosoft		
Pick	an account		
à	mondi@mondago.com	i.	
+	Use another account		

Review and authorize the permissions window:



Note: "Consent on behalf of your organization" must be selected.

Global Administrators may view the full list of permissions for "Integrator" at:

https://myapplications.microsoft.com/

https://aad.portal.azure.com/.

Device Endpoints

Displays all available devices associated with the user profile which can be renamed, enabled, or disabled as required:

	Name	Identity	Туре	
2	Webex	SharedCallAppearance:	Webex	
\checkmark	Yealink-T40P	Primary	Deskphone	
	Anywhere - Mobile	BroadworksAnywhere:	Anywhere	
2	Softphone	AlanElstonSP@thevoic	Softphone	

Configuration > Audio

Configuration			n ×
	Audio		
Interface	Devices		
Dialing	Microphone		-
Devices	Speaker		-
Audio	Ringer	1	-
API	Network card	Auto-Detect	
	Processing		
Call events	Echo cancellation	Medium (250)	
Availability	Auto gain control	Medium (30)	~
	Noise reduction	Low	¥
Microsoft Outlook	Codecs		
(Add new)	PCMA		M
? ABOUT	PCMU		
	GSM		
Log	G722		
Versions	Opus		
		Save	Cancel

Devices

Select the primary microphone, speaker, ringer and network card:

Devices		
Microphone		
Speaker		
Ringer		
Network card	Auto-Detect	160

For each device, click the selection button:

Then tick the box against the preferred audio device from the list of available audio devices found.

Click OK to confirm the selection.

Processing

Make adjustments to Echo cancellation, Auto gain control and Noise reduction:

Echo cancellation	Medium (250)	*
Auto gain control	Medium (30)	Ŷ
Noise reduction	Low	*

Note: Please refer to IT support before modifying these settings.

Codecs

Select the audio codec(s) appropriate to the platform in use:

Codecs	
PCMA	
PCMU	
GSM	
G722	
Opus	

Note: Please refer to IT support before modifying these settings.

Configuration > API

Local Http(s) listener(s) for API connections from other software applications, enabled by default.

nabled	
ecure sockets	Senable Enable
gistered applications	
Name	

Toggle "Secure sockets" as enabled or disabled.

Registered applications appear below:

Regi	istered applications	
	Name	
	Mondi Test Connection	

Configuration > Call Events

Call Events allows configuration relating to actions taken when a call or device changes state, e.g. when a new incoming call is presented to the Go Integrator | CRM Connector user's extension.

(i) (i	onfiguration							×
=	GENERAL	~ Ca	il events					
	Interface		Sounds					
	Dialling		On ringing				•	-
	Devices		Call waiting				•	-
	Audio		Mute speaker wh	en a call in progre	55			
	API							
0	EVENTS	*	Custom events		Actic			_
	Call events		Trigger		Actic	iu.		-
	Availability							
æ	INTEGRATIONS	~						
	Microsoft Outlook (Add new)		Add	Edit	Remove	1		
?	ABOUT	^						
	Log Versions							
						Save	Cance	e)

Sounds

Incoming call ringing or call waiting can be notified by sound files played through the computer speakers. This can help to uniquely identify which user in an office environment is being presented with a call for either supervisor monitoring or for users that are not deskbound.

Sounds	
On ringing	
Call waiting	۰ a

Note: Only audio files in WAV format are supported. A sound file for each state is included within the client by default and can be selected by the user: "ringing.wav" and "waiting.wav".



The computer sound can be automatically muted whenever a call is in progress - useful for users that work with background music, internet radio etc. to give a more professional response when incoming calls are answered.

Mute speaker when a call in progress	
Mute speaker when a call in progress	L

Custom Events

Customer Events offers more detailed configuration of actions to apply when a call or device changes state.

Actions available include opening a program or web page for example when a new incoming call is received.

Available Triggers

- Category: Call or Device
- State: Ringing, Connected, Completed, Missed or All
- Direction: Inbound, outbound or both
- Scope: Internal calls, external calls or both
- Remote tel: An external telephone number or prefix code that will trigger this event
- Local tel: An internal telephone number or prefix code that will trigger this event

vent		
Trigger Action		
Category	Call	4
State	All	Ŷ
Direction	AU	¥
Scope	All	Y
Remote tel		
Local tel		
	OK	Cancel

Available Actions

- Run program: Specify a program to run and insert relevant parameters
- Play sound: Specify a unique sound to play when this action is triggered
- Show Message Box: Present the message box including relevant parameters
- Open Web Page: Open the specified URL and insert relevant parameters
- Run Web Service: Run the specified endpoint and insert relevant parameters

Action	Run program 🗸 🗸
Program Parameters	Run program Play sound Show message box Open web page Run web service Insert

For the "Play Sound" action, only a valid .wav audio sound file can be selected.

For all other actions, call or device parameters can be inserted to pass event information to the selected "Program", "Web Page" or "Web service".

For sample testing, the "Show Message Box" Action can be selected and the parameter output displayed to check the values that will be presented for the action.

Available "Call" information parameters

Id	
Start	
State	
Duration	
Direction	
Remote tel	
Remote name	
Local tel	
Local name	

Available Device event parameters

Name	
Internal tel	
External tel	
Hook state	
Dnd state	

For the "Program" action, the Parameters box also allows "command line arguments" for the program to be inserted before the event information is included from the drop down parameter lists.

For the "Web Page" action, always include the URI scheme (i.e. http://). Any command line arguments can be inserted before the event information is included from the drop down parameter lists.

For the "Web Service" action, enter the required Endpoint URL to receive the call event data.

Click the "Save" button to store any new/edited information or click the "Cancel" button to discard any new/edited information.

Custom Events Setup Guide

Custom events can be used to pass call information from the Go Integrator | CRM Connector Client to other software using command line parameters under customer specified conditions. For example, a custom event could create a new call record in a database that automatically includes the incoming caller's telephone number when the call is answered/connected

Command Line Parameters

"Command line" refers to the "Command Line Interface" (CLI), a method of giving instructions to a computer by typing commands one line at a time to perform specific tasks like starting an application. In very basic terms, a "parameter" is simply a definition of something e.g. name = Joe or telephone = 6329603210.

A "command line parameter" is a control parameter that is used by a program to give it specific instructions when started.

Another type of command line parameter called a "switch" can be used to start the associated program in a certain mode or affect it in some other way e.g. '-editmode' or '/AddNewContact'.

Note that the structure of command line controls can vary between programs. For example, some apps' parameters start with a hyphen character (-) like "-Phone" but other apps use a forward slash (/) instead like "/Phone" etc. Regardless of the program syntax the principle is generally the same.

In addition to the command line parameter, call event information can be included and acted upon by the external Program, Web Page or Web Service.

To use the telephone number of the remote party, as opposed to another extension transferring the call insert the "Call > Remote tel" entry from the drop down list: the item syntax is {Call.RemoteTel}

Here's an example of a typical command line instruction that could be manually entered:

- C:\Program Files\YourCRM\YourCRM.exe /AddNewContact /Phone={Call.RemoteTel}
 - C:\Program Files\YourCRM\YourCRM.exe
 - This section is the full filepath to the program to be started. Without any command line or event information included, the program would start normally.
 - o /AddNewContact
 - This section is a switch-type command line parameter that causes the program to automatically add a new contact record when started.
 - o /Phone={Call.RemoteTel}
 - This section is a command line parameter that passes information to the application which in this case is a telephone number.

With the above example, Go Integrator | CRM Connector will open "YourCRM.exe" which will then create a new contact record and insert the external telephone number into the "Phone" field.

You can find the call information names and descriptions in the "Passable Call Information" section below.

Passable Call Information

The call information that can be passed to external programs or web pages are listed below

Description	Parameter Variable
Call Events	
External telephone number of the calling/called party	{Call.RemoteTel}
Date and time of call start	{Call.Start}
Current call state: Dialback, Dialing, Ringing, Connected, Held, Terminated etc.	{Call.State}
Duration of the last call in hh:mm:ss.ns format (can only be used for events at the end of a call - "Completed" state trigger)	{Call.Duration}
Reports "Incoming" or "Outgoing"	{Call.Direction}
Call type: "Mobile Services" etc	{Call.RemoteName}
Internal extension number	{Call.LocalTel}
Internal extension name	{Call.LocalName}
The unique ID of the call	{Call.Id}
Device Events	
Full device username	{Device.OwnerContact.Name}
User Internal device extension number	{Device.OwnerContact.InternalTel}
User External DDI number	{Device.OwnerContact.ExternalTel}
Off Hook, Held etc	{Device.Hookstate}
DND status at current call state: ON / OFF	{Device.DndState}

The call event information must always be enclosed in "{ }" signs to properly identify the variable, otherwise the information will not be passed correctly. When Go Integrator | CRM Connector runs the custom event, the call information is inserted into the parameter in place of the parameter variable e.g. if the external caller's telephone number is 06329603210 then telephone = {Call.RemoteCall} becomes telephone = 06329603210.

Making Changes

If any changes to a configured custom event are required, highlight the entry in the Custom Events list and click "Edit" to display the event configuration.

If the "Action" needs to be changed, the custom event must be deleted and created again. To delete a custom event, highlight it in the list, click "Remove" and then "Save".

Configuration > Availability

Manage Telephone availability related settings:

00	anfiguration					×
=	GENERAL	*	Availability			
	Interface		Busylight			
	Dialling		Status		Not conne	cted
	Devices		SmartBusy for Zoom and GotoMeeting			
	Audio		When a meeting is in progress			
	API		Destination			
ୟ	EVENTS	^	SmartBusy for Teams			
	Call events		When user on a call or conference			
	Availability		At other times when busy or do not disturb			
æ	INTEGRATIONS	•	Destination			
	Microsoft Outlook (Add new)					
?	ABOUT	^				
	Log Versions					
				Save	Canc	el

Busylight

Plug and play compatibility with Kuando Busylight.

Busylight	
Status	Connected

Color indicators

Go Integrator CRM Connector	External LED Color
Available (not on a call)	Green
Held	Fast flashing yellow (250ms)
Busy (on a call/online meeting)	Red
Ringing	Flashing red (500ms)
Do Not Disturb / Forward	Blue
Voice Mail	Slow flashing magenta (1000ms)

Smart Busy

Go Integrator | CRM Connector is able to dynamically change the Telephone system extension forwarding settings in reaction to online meeting status or Microsoft Teams Busy/DND status.

Zoom and GoToMeeting

When the Go Integrator | CRM Connector user is in either a Zoom meeting or GoToMeeting the Telephone system extension "Forwarding always" setting is enabled to redirect incoming calls to the configured telephone number, e.g. a group or voicemail

SmartBusy for Zoom and GotoMeeting		
When a meeting is in progress		R
Destination	2222	

Microsoft Teams

When the Go Integrator | CRM Connector user is in a Microsoft Teams meeting or is Busy or set to "Do Not Disturb" the Telephone system extension "Forwarding always" setting is enabled to redirect incoming calls to the configured telephone number.

SmartBusy for Teams		
When user on a call or conference		
At other times when busy or do not disturb		S
Destination	2222	

Configuration > Integrations

Integrations connect a CRM or application with the Telephone system. Incoming or outgoing telephone numbers are matched to any contact records in a CRM to present contact information including contact name, company or account name and additional notes.

Go Integrator | CRM Connector Solo and Team users can integrate with Google Contacts and Outlook Contacts.

Go Integrator | CRM Connector Unite users can integrate with a larger list of business CRM applications and address books.

The integration provides address book searching, incoming call preview information, manual and automatic contact popping and in some cases, activity logging.

Setup CRM Integration

Select "(Add new)" to integrate with a business CRM application or address book.

Integrations marked with a star include the option to "Add Contact" information directly into the address book from the Preview Window, Call Toolbar or Call History (including the Recent Calls list).

00	orfiguration					×
=	GENERAL	A (Add new)				
	Interface	Integration	Microsoft Outlook	*	Set.	
	492.	1 1 Y 1 1 1 1	ConnectWise	A		
	Dialling	Features	C Google Contacts	-		
	Devices		"A HubSpot			
			Maximizer CRM			
	Audio		Microsoft Access			
	API		Microsoft Dynamics 365 CRM			
			e" Microsoft Outlook			
03	EVENTS	~	N NetSuite SI Outlook Web Access	7		
	Call events		Salesforce			
	call events		SugarCRM	211		
	Availability		. Zendesk			
0	Concernance of the second s	100	00 Zoho CRM			
P	INTEGRATIONS	^	🔞 4me			
	Microsoft Outlook		O Act 2010+			
			Autotask			
	(Add new)		Call Connect GP (Patient Connect)			
7	and in	100	Candor SIS			
1	ABOUT	~	Careria			
	Log		CATEV DATEV			
	and the second s		Dezrez			
	Versions		E EGroupware			
			Envoy TAX			
			FlexKIDS.			
			GoldMine		Cance	6
			Contraction of the second seco			_

Note: Only "Standard" integrations are displayed in the list.

Other applications or "Controlled" integrations require an unlock code and/or alternate SLA levels and assistance to implement. Please contact support for assistance.

Choose the desired application from the list and select "Set" to view the list of Features that the selected integration can support (example shown for Salesforce CRM):


Integration	Salesforce	~	Set
Features:	Address Book search		
	😽 Caller details preview		
	Screen pop		
	Call activity logging		
	🛹 Add contact		
	🤣 Live mode		
	Sached mode		

Click "Save" to continue to the setup screen for the selected integration. The configuration form varies with the selected integration (example shown for Salesforce CRM):

Name		Sale	storce	
Enabled				Disable
Salesforce				
Client id				
Endpoint	https://login.s	alesforce.com	/services/oauth2/	
				Authonise
				Not authorized
				Get-objects
Objects	Contacts Leads			
Caching				
Cache				I
Cache frequency, minu	tes			80
Status:				
Activities				
Pop automatically on in	bound			lever -
	nd			
Create activity on call e				C
Create activity on call e Show activities on call				0
				C
Show activities on call				Check
Show activities on call Integration test				Check Test_


Help

Detailed step-by-step guidance is provided online for each "Standard" integration - click "Help" to open the Integration guide within Go Integrator | CRM Connector to learn more (example shown for Sclassforce, CPM):



Integration Information

Click here to review application integration options on the developer's website.



Check

After completing the integration setup, check the connection status of the integration to confirm a connection can be made:

alesforce CRM				
Name		Salesforce CR	M	
		Salesione en	IVI	
Enabled				Disable
Salesforce CRM				
				Configure
Caching				
Cache				
Cache frequency, minutes	C	onnected	×	60 🗘
Status:				
Activities		Connected		
Create activity on call end	1	•		
Show activities on call			1	
Integration test		OK	1	_
Check connection				Check
Test search				Test
	Help	Delete	Save	Cancel

Test

Test search by selecting "Test", enter the contact number, then select Search:

force CRM				
lame		Salesforce CRM		
nabled			1	Disable
Test search				
Telephone 503910	9105			Search
Company	Phone Id		Originalld	Sho
Hugh Manatee (Account)	(503) 910-9105 Ac	ount:0011U00001RnueEQ	AR 0011U00001Rnu	eEQAR http:
¢		\backslash		
د				

Note: Test search may be unavailable with certain CRMs or applications.

After completing the configuration, select "Save" to finalize the integration.

Select "Disable" to temporarily disable the integration.

Select "Delete" to completely remove the integration, if required.

Options

Additional options are available, depending on the specific integration selected:

Caching

If the application allows it, the contact database can be downloaded and cached to accelerate contact searches for matching telephone numbers.

The frequency of downloading the data can be configured between 1 - 100 minutes.

Caching	
Cache	
Cache frequency, minutes	60 ≑
Status:	Last cache: 21/10/2021 17:17:36 (total records: 2)

The Status shows when the last download occurred and how many records were downloaded.

Activities

Additional actions can be applied to the integration.

Activities	
Pop automatically on inbound	Ringing ~
Create activity on call end	
Show activities on call	

Automatic Popping

Any integration can individually be configured to automatically pop matching contact entries on incoming calls, either during ringing (as soon as the call is presented) or when connected (after answering the call).

Pop automatically on inbound	Ringing ~
	Never
	Ringing
	Connected

Manual contact popping is still available to other integrations. For example, if only 1 out of 4 configured integrations is set to pop automatically, contacts found in any of the other 3 integrations can be manually opened using the associated icon.

Call Activity Logging

For compatible integrations, call activity events can be written directly into the business CRM application transaction logs either manually by a button press, or automatically at the end of a call.


Create activity on call end Show activities on call				N
From Preview Window:	From Ca	III History / Rec	ent Calls:	
Comparing call: Connected BJ Bob Jones Company A 107825J 112 378 (Mobile services	×	€ B Bob Jo (07825	ones 5) 112 378	
Contact			Create and s	how Call Task
	Softphone 93			

Example activity log to Salesforce:

ob Jones	Related To
Details	Related
Assigned To	🖰 Alan Elston
Subject	Outgoing call: 2261 [Alan Eiston] -> (07825) 112 378 [Bob Jones
Due Date	22/10/2021
Priority	Normal
Created By	Alan Elston, 22/10/2021, 16:01
Comments	Direction: Outgoing Caller: 2261 [Alan Eiston] Called: (07825) 112 378 [Bob Jones] Start: 22/10/2021 16:01:30 Duration: 00:00:25

Configuration > Log

The Log section contains important details about the client, user, and software configuration:



Identity

Displays current users Name, Department, Extension number, Direct Dial Number and Email address. Note: Depending on initial setup, not all user information will be displayed

Devices

Displays information about connected telephony devices.

	Name	State	Features
	XSI (http)	On hook	Telephony, Peer, CallHistory, ProfileSettings, Agent
ø	SIP	On hook	Telephony, Peer, Audio, Video, Network
8	Microsoft Teams	Not ready	Telephony, Peer

Customer Feedback

Send data into the software development team to help improve the product evolution

Customer feedback	
Send anonymous statistics to help improve product development	

Licensing


Displays the licensing detail and included features of both the Telephone system and Go Integrator user profile

Policies

Displays the policy details and enabled features of the Telephone system user profile

Logs

Select "Show" to open the application log file location for support escalations and issue resolution:



Configuration > Versions

Contains application specific version details, Notices, and EULA information:

	io Integrator Cara		0
		© Mondago 202	
Your software is up to date		Download	
	Name	Version	3
1	Accessibility dil	4.0.0.0	-
0	Addin.Api.DLL	4.2.0.2182	
8	Addin.Api.Windows.DLL	4.2.0.2182	
8	Addin.AudioConfiguration.DLL	1.0.0.0	
0	Addin.Avatar.DLL	4.2.0.2182	
18	Addin.Bluetooth.DLL	4.2.0.2182	
0.1	Addin.Blynclight.DLL	4.2.0.2182	
-		4.2.0.2182	
0	Addin Busylight.DLL		
000	Addin.Busylight.DLL Addin.CallSounds.DLL	4.2.0.2182	

Download

Download link if a later software version is available and update permissions are enabled

Notices

Detailed technical information of each component

License Agreement

Full End User License agreement detail.

Microsoft Teams Integrations

The integration features available with Microsoft Teams include:

- Search and Call Integrator Teams Adaptor
- Show, Add, Pop CRM contact for incoming call
- Teams as preferred dialing device
- Open Microsoft Teams chat from Presence window
- Show Teams avatar image in Presence window
- Show co-worker Teams Availability status in Presence window
- Publish "In a call" state to Microsoft Teams (Beta feature)
- Smart Busy for Microsoft Teams busy/DND/meeting state

Search and Call Integrator

(The Teams Adaptor app). The Search and Call app for Microsoft Teams can be installed and used by any licensed Go Integrator v4.x+ user. Once installed (in Teams and Go Integrator), the Search and Call app will offer the Go Integrator Address Book search functionality from within Teams, and allow users to click to dial from within Teams. Note: The Go Integrator v4.x+ software must be active and connected to use the Teams Search and Call app.

While working in Teams > Integrator App Add-In


Enter a contact name to find and click "Search" Matching entries are found from the telephone system User directory and integrated address book:

Just click on the desired number to dial it.

Show, Add, Pop CRM Contact - Incoming Call

When the Microsoft Teams user receives an incoming call via their Telephone system routing service, Go Integrator v4.x+ users can view contact information for any matching entries from the integrated address book(s). The contact information can display within either the Preview Window or the Call Toolbar notification window.

Teams as Preferred Dialing Device



Go Integrator TEAM and UNITE users who have a direct/derived routing service available for Microsoft Teams can select "Teams" as their Preferred Device to make and receive calls.

In **Tray** mode, the Preferred Device icon offers a drop-down menu selection of the available devices.

In **AppBar** mode, the Preferred Device drop-down menu is displayed within the "Calls" window.

Outgoing calls are initiated from within the Teams client using its Softphone (Calling) tools. Note: Incoming calls to the Teams client cannot be answered by Go Integrator - use the Teams incoming call notification to answer calls.

Select the primary device to n calls	hake and answer
Teams	4
Webex	
Yealink-T40P	
Softphone	
Teams	
Calls	-4
(Number to dial)	0
Teams	-
Webex	
Yealink-T40P	
Softphone	
Teams	

Would you like to call this number?		
+44 1731 661800		
	Cancel	Call

Open Microsoft Teams Chat from Presence Window

Go Integrator TEAM and UNITE users can open a Teams chat conversation from within the Go Integrator Presence window, using the slide out menu that appears when hovering over a contact icon. Note: The conversation takes place within the Microsoft Teams app.

Show Teams Avatar Image in Presence Window

For Go Integrator TEAM and UNITE users, co-worker avatar images are displayed against each User's contact icon within the Go Integrator Presence window.

Show Co-worker Teams Availability Status in Presence Window Presence with Teams Availability

For Go Integrator TEAM and UNITE users, co-worker availability is displayed as a combination of Telephone system extension status and Microsoft Teams user Availability status, indicated by a mixture of icon color and status text:



*"Out of Office" state is a beta Microsoft Graph API feature and will only be available if enabled in your access code.

Note: An active call via the Telephone system extension will take precedence over Teams Availability status.

Publish "In a call" State to Microsoft Teams

(Beta feature) - If beta features have been enabled in your access code, this beta Graph API feature will be displayed. This function enables Go Integrator to change the Teams availability status to "In a call" when the user is on an active telephone call through the Telephone system.

"In a call" status within Microsoft Teams



"In a call" status within Microsoft Outlook




Search	
- Marketing	
Al Maudlin	\$@®
Rachael Neel	
Rob Cox	
Operations	
Search	

A Marketing

Al Maudlin

Rachael Neel Offline Rob Cox n a meeting



SmartBusy for Microsoft Teams

With SmartBusy, the "Forwarding Always" setting can enabled to redirect incoming calls to the configured telephone number when a meeting is in progress. E.g., send calls to an extension, cell number, group, or voicemail.

SmartBusy for Zoom and GotoMeeting		
When a meeting is in progress		Ø
Destination	2222	


When the Go Integrator user is in a Microsoft Teams meeting or is Busy or set to "Do Not Disturb" the Telephone system extension "Forwarding Always" setting can redirect incoming calls to the configured telephone number.

SmartBusy for Teams		
When user on a call or conference		Ð
At other times when busy or do not disturb		
Destination	2222	

Install Integrator in Microsoft Teams

If your organization has enabled use of the Integrator app in Microsoft Teams, you may use the following instructions to add that app from the Apps section:


- 1. Admins can instruct users to click on Apps at the bottom of the Microsoft Teams Menu. Integrator for Microsoft Teams will be displayed under Built for your org - or the user may search for Integrator.
- 2. Click on Integrator to select it.
- Click on the Add option. Integrator for Microsoft Teams installs.



Pin to App Bar in Microsoft Teams

Integrator for Microsoft Teams may not immediately appear on the App Bar for the user. Use the following steps to add it to the apps displayed in the Menu bar.

- To pin the Integrator app, click on the ellipsis (3 dots ●●●) in the Teams Menu bar.
- 2. Right-Click on the Integrator listing under Recent.
- 3. Click on the Pin option.



Uninstall the Integrator App from Microsoft Teams

A user can uninstall the Integrator app from their Microsoft Teams instance by right-clicking on the Integrator app and clicking **Uninstall**.